



## Simulating external flow using vortex method in two- and three dimensions

**Spietz, Henrik Juul; Hejlesen, Mads Mølholm; Walther, Jens Honore; Larsen, Allan**

*Publication date:*  
2015

*Document Version*  
Peer reviewed version

[Link back to DTU Orbit](#)

*Citation (APA):*

Spietz, H. J., Hejlesen, M. M., Walther, J. H., & Larsen, A. (2015). *Simulating external flow using vortex method in two- and three dimensions*. Abstract from 68th Annual Meeting of the American Physical Society's Division of Fluid Dynamics (DFD) , Boston, United States.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Abstract Submitted  
for the DFD15 Meeting of  
The American Physical Society

**Simulating external flow using vortex method in two- and three dimensions** HENRIK JUUL SPIETZ, MADS MLHOLM HEJLESEN, Technical University of Denmark, JENS HONORE WALTHER, Technical University of Denmark and Computational Science and Engineering Laboratory, ETH Zurich, ALLAN LARSEN, COWI Consulting Engineers, COWI CONSULTING ENGINEERS COLLABORATION — Vortex methods are numerical methods for simulating fluid flow. They use a simple formulation where only the trajectories of discrete vortex particles are simulated. In our method we combine a high order particle-mesh based vortex method with an iterative penalization method to simulate external flows around arbitrary geometries such as bridge decks. The method only uses a discretized geometry as input and can easily simulate an arbitrary motion of the geometry. As vorticity is a bounded quantity and the velocity field can easily be calculated for a mixture of free-space- and periodic boundary conditions, the method allows for a minimized domain and hence minimal computational resources. However in an external flow problem, vorticity is produced in the boundary layers and transported downstream, consequently the computational domain must grow in time to encapsulate the entire vorticity field. We present a method for truncating this domain by supplementing the free-space- and periodic conditions with an outflow condition. The method is conveniently applied within the field of bridge aerodynamics as it can be used for the calculation of the aerodynamic net forces, which depend highly on the geometry and the wake forming behind it. This is demonstrated in 2D and 3D simulations

Henrik Juul Spietz  
Technical University of Denmark

Date submitted: 29 Jul 2015

Electronic form version 1.4